

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**




Fig. 2





Fig. 3

WO 99/59631

3/12

PCT/US99/10751



Peptide spacer    Diphtheria toxoid

Fig. 4





Fig. 5

Fig. 6**MEAN PROLIFERATION INDEX (%)**

Group	Small Intestine		Large Intestine	
	Crypts	Tumour	Crypts	Tumour
Vehicle	6.45 (1.9)	33.3 (6.6)	6.05 (2.7)	43.2 (10.5)
G17-DT	5.87 (0.8)	26.7 (5.1) p<0.005	5.80 (2.5)	25.6 (7.6) p<0.0000

**Fig. 7**

7/12

Timed anti - G17(1-9):DT antibody in Min mice








Fig. 8

8/12


Group 1 versus Group 2,  $p=0.02$ , Mann Whitney

9/12

Fig. 9


**Fig. 10**

10/12



11/12

FIG. 11



12/12

FIG. 12

